

[MSDN Home](#) > [MSDN Library](#) > [Data Access](#) > [Microsoft ActiveX Data Objects \(ADO\)](#) > [ADO Programmer's Guide](#) > [Appendixes](#) > [Appendix A: Providers](#)

## ADO 2.8 Appendixes



### Microsoft OLE DB Provider for Microsoft Active Directory Service

The Microsoft Active Directory Service Interfaces (ADSI) Provider allows ADO to connect to heterogeneous directory services through ADSI. This gives ADO applications read-only access to the Microsoft Windows NT® 4.0 and Microsoft Windows 2000 directory services, in addition to any LDAP-compliant directory service and Novell Directory Services. ADSI itself is based on a provider model, so if there is a new provider giving access to another directory, the ADO application will be able to access it seamlessly. The ADSI provider is free-threaded and unicode enabled.

### Connection String Parameters

To connect to this provider, set the **Provider** argument of the [ConnectionString](#) property to:

ADSDS00object

Reading the [Provider](#) property will return this string as well.

### Typical Connection String

A typical connection string for this provider is:

"Provider=ADSDS00object;User ID= *MyUserID*;Password= *MyPassword*;"

The string consists of these keywords:

Keyword	Description
<b>Provider</b>	Specifies the OLE DB Provider for Microsoft Active Directory Service.
<b>User ID</b>	Specifies the user name. If this keyword is omitted, then the current logon is used.
<b>Password</b>	Specifies the user password. If this keyword is omitted, then the current logon is used.

### Command Text

A four-part command text string is recognized by the [provider](#) in the following syntax:

"*Root*; *Filter*; *Attributes*[; *Scope*]"

Value	Description
<i>Root</i>	Indicates the <b>ADsPath</b> object from which to start the search (that is, the root of the search).
<i>Filter</i>	Indicates the search filter in the RFC 1960 format.
<i>Attributes</i>	Indicates a comma-delimited list of attributes to be returned.
<i>Scope</i>	Optional. A <b>String</b> that specifies the scope of the search. Can be one of the following: <ul style="list-style-type: none"> <li>• Base — Search only the base object (root of the search).</li> <li>• OneLevel — Search only one level.</li> <li>• Subtree — Search the entire subtree.</li> </ul>

For example:

```
"<LDAP://DC=ArcadiaBay,DC=COM>;(objectClass=*);sn, givenName; subtree"
```

The provider also supports SQL SELECT for command text. For example:

```
"SELECT title, telephoneNumber From 'LDAP://DC=Microsoft, DC=COM' WHERE  
objectClass='user' AND objectCategory='Person'"
```

The provider does not accept stored procedure calls or simple table names (for example, the CommandType property will always be **adCmdText**). See the Active Directory Service Interfaces documentation for a more complete description of the command text elements.

## Recordset Behavior

The following tables list the features available on a Recordset object opened with this provider. Only the Static cursor type (**adOpenStatic**) is available.

For more detailed information about **Recordset** behavior for your provider configuration, run the Supports method and enumerate the Properties collection of the **Recordset** to determine whether provider-specific dynamic properties are present.

Availability of standard ADO **Recordset** properties:

Property	Availability
<u>AbsolutePage</u>	read/write
<u>AbsolutePosition</u>	read/write
<u>ActiveConnection</u>	read-only
<u>BOF</u>	read-only
<u>Bookmark</u>	read/write
<u>CacheSize</u>	read/write
<u>CursorLocation</u>	always <b>adUseServer</b>
<u>CursorType</u>	always <b>adOpenStatic</b>
<u>EditMode</u>	always <b>adEditNone</b>
<u>EOF</u>	read-only
<u>Filter</u>	read/write
<u>LockType</u>	read/write
<u>MarshalOptions</u>	not available
<u>MaxRecords</u>	read/write
<u>PageCount</u>	read-only
<u>PageSize</u>	read/write
<u>RecordCount</u>	read-only
<u>Source</u>	read/write
<u>State</u>	read-only
<u>Status</u>	read-only

Availability of standard ADO **Recordset** methods:

Method	Available?
<u>AddNew</u>	No
<u>Cancel</u>	No

<a href="#">CancelBatch</a>	No
<a href="#">CancelUpdate</a>	No
<a href="#">Clone</a>	Yes
<a href="#">Close</a>	Yes
<a href="#">Delete</a>	No
<a href="#">GetRows</a>	Yes
<a href="#">Move</a>	Yes
<a href="#">MoveFirst</a>	Yes
<a href="#">MoveLast</a>	Yes
<a href="#">MoveNext</a>	Yes
<a href="#">MovePrevious</a>	Yes
<a href="#">NextRecordset</a>	Yes
<a href="#">Open</a>	Yes
<a href="#">Requery</a>	Yes
<a href="#">Resync</a>	Yes
<a href="#">Supports</a>	Yes
<a href="#">Update</a>	No
<a href="#">UpdateBatch</a>	No

**See Also** For more general information about ADSI and the specifics of the provider, please refer to the Active Directory Service Interfaces documentation or visit the [ADSI Web page](#).

#### See Also

[CommandType Property](#) | [ConnectionString Property](#) | [Properties Collection](#) | [Provider Property](#) | [Recordset Object](#) | [Supports Method](#)

© 1998-2004 Microsoft Corporation. All rights reserved.

---

[Manage Your Profile](#) | [Legal](#) | [Contact Us](#) | [MSDN Flash Newsletter](#)

©2004 Microsoft Corporation. All rights reserved. [Terms of Use](#) | [Privacy Statement](#)



[Microsoft.com Home](#) | [Site Map](#)



---

<a href="#">MSDN Home</a>	<a href="#">Developer Centers</a>	<a href="#">Library</a>	<a href="#">Downloads</a>	<a href="#">Code Center</a>	<a href="#">Subscriptions</a>	<a href="#">MSDI</a>
---------------------------	-----------------------------------	-------------------------	---------------------------	-----------------------------	-------------------------------	----------------------

---

Search for

All Library



[Advanced Search](#)



sync toc  x

- ☒ Welcome to the MSDN Library
- ☒ Component Development
- ☒ Data Access
- ☒ Development (General)
- ☒ Enterprise Development
- ☒ Graphics and Multimedia
- ☒ Messaging and Collaboration
- ☒ Mobile and Embedded Development
- ☒ .NET Development
- ☒ Networking and Directory Services
- ☒ Office Solutions Development
- ☒ Security
- ☒ Setup and System Administration
- ☒ User Interface Design and Development
- ☒ Visual Tools and Languages
- ☒ Web Development
- ☒ Windows Development
- ☒ XML and Web Services
  - ☒ Specifications
  - ☒ Columns
  - ☐ Code Samples
  - ☐ Downloads
  - ☒ Web Services and the .NET Framework
  - ☒ Web Services Enhancements (WSE)
  - ☒ SOAP Toolkit
  - ☒ UDDI SDK
  - ☒ Interoperability Resources
  - ☒ Microsoft.com Web Service SDK, Version 1.0
  - ☒ .NET Services
  - ☐ XML
    - ☒ Columns
    - ☐ XML Products
      - ☐ MSXML
        - ☐ SDK Documentation
          - ☒ MSXML 4.0 SDK
          - ☐ MSXML 3.0 SDK
            - ☐ What's New
            - ☐ Copyright and Legal Information
            - ☒ XML Developer's Guide
            - ☒ XML Reference
            - ☒ XML Tutorial
            - ☐ XSLT Developer's Guide
              - ☒ Getting Started with XSLT
              - ☐ Exploring XSLT Capabilities
                - ☒ XSLT Fundamentals
                - ☒ Browsing XML Documents in Internet Explorer 5.0 and Later

- ☒ Using the XSLT Processor
- ☒ Controlling White Space with XSLT
- ☒ XPath
  - ☐ Introduction to the Syntax of XPath
  - ☐ How XSLT Defines the Context for XPath Expressions
  - ☐ How the DOM Defines the Context for XPath Expressions
  - ☐ How to Specify Namespace in XPath Expressions
  - ☐ Placing a List of Items into a Grid
  - ☐ Creating a Comma-Separated List of Items
- ☒ Advanced XSLT Features
- ☒ XSLT Reference
- ☒ XML and XSL Samples
- ☒ SAX2 Developer's Guide
- ☒ SAX2 Reference
- ☒ Technical Articles
- ☒ XML in .NET
- ☐ SQLXML
- ☒ XML on the Web
- ☒ XML Technologies
- ☐ Seminars
- ☐ Code Samples
- ☐ Downloads
- ☐ MSDN Library Archive



Welcome to the MSDN Library